


DumpCollection

IT Exam Training online / Bootcamp



<http://www.dumpcollection.com>

PDF and Testing Engine, study and practice

Exam : **C2070-982**

Title : IBM Case Foundation V5.2,
Specialist

Vendor : IBM

Version : DEMO

NO.1 When a solution is deployed for the first time in a development environment, three spaces Solution space, Case pages space and Step pages space are created in the mashup environment. Which two statements are correct? (Choose two)

- A. Case workers process cases through Solution spaces
- B. Everyone can change the security settings for these spaces
- C. Case pages space and Step pages space are hidden spaces
- D. Everyone can modify the three spaces by adding, deleting or changing the existing pages
- E. You can add and register new pages in Solution space, Case pages space and Step pages space

Answer: A,C

NO.2 What type of owners are allowed for Mashups spaces?

- A. The owner must be a user
- B. The owner must be a group
- C. The owner must be a user or a group
- D. Mashups spaces do not require owners

Answer: A

NO.3 Why does Case Builder show Case Tasks as non interconnected boxes? (Choose two)

- A. Tasks are designed to be tools for the case worker
- B. Case Builder is not used to model the execution order amongst all tasks
- C. They may be initially disconnected but are eventually connected in the Step Editor
- D. Connectivity is not needed because all the tasks start automatically when the case is first created
- E. Tasks have a small adornment to the left of the box that indicates the order or execution that takes place after the case has reached the Ready state

Answer: A,B

NO.4 Which Content Engine events must a case property be audited for before it can be exposed to the Case Analyzer?

- A. Creation Event, Deletion Event, Update Event
- B. Change State Event, File Event, Update Event
- C. Creation Event, Deletion Event, Checkin Event
- D. Change State Event, Creation Event, Delete Event

Answer: A

NO.5 You need to integrate your widgets with Case Manager widgets, but the format of the payloads are different. Depending upon the complexity of the mismatch in payloads, what might you use to wire your widgets to the Case Manager widgets?

- A. Case Manager Toolbar Widget
- B. Case Manager Command Widget
- C. Mashup Center Data Editor Widget
- D. Mashup Center JavaScript Adapter Widget

Answer: D

NO.6 What does this command accomplish: "configmgr_cl execute -task deploycaseclient -profile

myprofile [-silent] [-force]"?

- A. Deploys the Case Manager API application
- B. Sets the deployment scope for a high availability Case Manager Client deployment
- C. Creates the Case Manager Client profile for the production domain by using the command line
- D. Deploys the Case Manager Client application to the production domain by using the command line

Answer: D

NO.7 Which two of the following APIs can be used to create a new case directly? (Choose two)

- A. P8 Content Engine .NET API
- B. P8 Process Engine JAVA API
- C. P8 Process Engine REST API
- D. IBM Business Process Manager 7.5 API
- E. Content Manager Interoperability Services (CMIS) API

Answer: A,E

NO.8 Which is the correct choice in order to make a custom widget available on a Mashup page?

- A. Add the widget code to the IBM Case Manager war file
- B. Add the widget code to the ECM Widgets war file
- C. Build the widget and deploy in the mashup catalog
- D. Create a war file for the custom widget and deploy in WebSphere

Answer: C

NO.9 Choose two steps below that you would perform when validating the installation of an IBM Case Manager application into a production environment? (Choose two)

- A. Log in to the IBM Case Builder
- B. Log in to the Case Manager Client
- C. Verify the ICM API deployment was successful by accessing the following link: <http://server:port/P8PE/Health>
- D. Verify the Content Engine deployment was successful by accessing the following link: <http://server:port/P8CE/Health>
- E. Verify the ICM API deployment was successful by accessing the following link: <http://server:port:/CaseManager/CASEREST/v1/info>

Answer: B,E

NO.10 An administrator has installed IBM WebSphere ILog JRules under the Case Manager License agreement and is going to deploy an ILog Decision Service. Which statement is correct?

- A. The Decision Service may only be invoked directly by IBM Case Manager
- B. The Decision Service may only be invoked by a custom program and cannot be invoked directly by IBM Case Manager
- C. The Decision Service may be invoked by any program as long as it is in response to a request that has originated from IBM Case Manager
- D. The Decision Service may be invoked by any program, irregardless of whether this is done in response to a request that has originated from IBM Case Manager

Answer: C

NO.11 An IBM Case Foundation architect is implementing a system that includes a wide area network.

There is a concern that the wide area network will have slow latency.

Which parameter should be adjusted?

- A. Set the com.ibm.CORBA.ConnectionMultiplicity size to 0
- B. Monitor the Web container thread pool and increase the value
- C. Increase the com.ibm.CORBA.FragmentSize from the default of 1Kb
- D. Increase com.ibm.CORBA.ConnectionMultiplicity to a value from 5 to 10

Answer: C

NO.12 Which two must be installed if you are using IBM FileNet Case Monitor? (Choose two)

- A. IBM Content Analyzer
- B. FileNet Case Analyzer
- C. WebSphere ILOG JRules
- D. Cognos Real-time Monitoring
- E. WebSphere Business Monitor

Answer: B,D